

## West Nile Virus Disease Cases\* and Presumptive Viremic Blood Donors by State – United States, 2021

State	Neuroinvasive Disease Cases†	Non-neuroinvasive Disease Cases	Total cases	Deaths	Presumptive Viremic Blood Donors‡
Alabama	9	3	12	0	3
Alaska	1	0	1	0	0
Arizona	1,140	575	1,715	125	125
Arkansas	6	2	8	4	1
California	96	34	130	12	19
Colorado	101	74	175	11	24
Connecticut	5	2	7	0	3
Delaware	3	0	3	0	0
District of Columbia	4	2	6	1	0
Florida	5	0	5	0	2
Georgia	3	1	4	1	1
Hawaii	0	0	0	0	0
Idaho	12	4	16	2	5
Illinois	49	15	64	5	8
Indiana	11	3	14	2	1
Iowa	4	2	6	0	3
Kansas	10	7	17	1	12
Kentucky	4	0	4	0	0
Louisiana	17	5	22	4	1
Maine	0	0	0	0	1
Maryland	7	1	8	0	0
Massachusetts	9	2	11	0	0
Michigan	38	9	47	7	7
Minnesota	27	9	36	0	17
Mississippi	5	3	8	0	0
Missouri	11	1	12	1	0
Montana	2	0	2	0	0
Nebraska	69	38	107	10	18
Nevada	1	0	1	0	0
New Hampshire	1	0	1	0	0
New Jersey	26	10	36	5	3
New Mexico	31	3	34	7	7
New York	35	7	42	2	3
North Carolina	8	0	8	1	2
North Dakota	12	18	30	1	9
Ohio	11	2	13	1	1
Oklahoma	19	3	22	2	5
Oregon	1	4	5	0	0
Pennsylvania	22	5	27	1	1
Puerto Rico	0	0	0	0	2
Rhode Island	1	1	2	0	0
South Carolina	6	3	9	0	8
South Dakota	18	29	47	1	6
Tennessee	3	1	4	0	0
Texas	130	13	143	17	48
Utah	21	7	28	3	0
Vermont	1	0	1	0	0
Virginia	2	3	5	0	1
Washington	4	0	4	0	4
West Virginia	0	0	0	0	0
Wisconsin	7	1	8	0	2
Wyoming	0	1	1	0	0
<b>Totals</b>	<b>2,008</b>	<b>903</b>	<b>2,911</b>	<b>227</b>	<b>353</b>

\*E.g., meningitis, encephalitis, or acute flaccid paralysis

†Includes confirmed and probable cases

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 353 PVDs, 68 (19%) developed clinical illness and are also included as disease cases.